

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48295	"714"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:44
L2	1464	I1 and ((clock\$4)near3 (reset\$4 or initializ\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:01
L3	71	I2 and (watchdog near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:48
L4	175	I2 and ((PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:03
L5	24	I4 and (first near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:03
L6	15	I5 and (second near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:04
L7	2	I6 and (watchdog near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:04
L14	7	I2 and ((first near2 (timer or counter))same (lost or absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:49

L15	0	l2 and ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:57
L16	2	"5113504".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:57
L17	2	"6456135".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:58
L18	2	"6252444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:59
L19	2	"6225840".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:59
L20	2	"5274452".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:00
L21	2	"5594865".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:00
L22	132	l1 and ((clock\$4 near3 (reset\$4 or initializ\$5)with (fault\$4 or error or miss\$4 or lack\$4 or lost)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:03

L23	23	I22 and ((PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:03
L24	2	I23 and (first near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:03
L25	0	I24 and (watchdog near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:04
L26	2	I24 and (second near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 16:04
S1	2	"6629257".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:40
S2	70	(clock near3 forward\$3)near6 (reset\$4 or initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:39
S3	4	S2 and watch\$dog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:45
S4	4	S2 and watchdog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:23

S5	8	(clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:52
S6	2	S5 and watch\$dog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:47
S7	4	S5 and timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:48
S8	15	(clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:33
S9	2	S8 and watch\$dog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:47
S10	5	S8 and timer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:48
S11	12	S8 and (timer or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:06
S12	6	S11 and (PLL or (phas\$2 near2 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:58

S13	6	S11 and (PLL or (phas\$2 near3 loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 10:49
S14	2	((PLL or (phas\$2 near2 loop))near3 (initializ\$5 or reset\$4))same ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:38
S15	2	((PLL or (phas\$2 near2 loop))near3 (initializ\$5 or reset\$4))same ((clock near3 forward\$3)with (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:00
S16	2	((PLL or (phas\$2 near2 loop))near3 (initializ\$5 or reset\$4))and ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:00
S17	3	S2 and ((PLL or (phas\$2 near2 loop))near3 (initializ\$5 or reset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:05
S18	3	S2 and ((PLL or (phas\$2 near2 loop))near6 (initializ\$5 or reset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:05
S19	3	S2 and ((PLL or (phas\$2 near3 loop))near6 (initializ\$5 or reset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:42
S20	27	S2 and ((PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:06

S21	17	S20 and (timer or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:06
S22	5028	(watch\$dog near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:24
S23	2	S22 and ((PLL or (phas\$2 near2 loop))near3 (initializ\$5 or reset\$4))and ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:26
S24	44	S22 and ((PLL or (phas\$2 near2 loop))near3 (initializ\$5 or reset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:26
S25	33	S24 and (first near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:42
S26	5	S25 and (second near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:33
S27	57822	"375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:34
S28	1	S27 and ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:34

S29	24004	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:35
S30	3	S29 and ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:36
S31	104957	"327"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:44
S32	0	S31 and ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:36
S33	7	S31 and ((clock near3 forward\$3)same (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:43
S34	0	S31 and (((PLL or (phas\$2 near2 loop))near3 (initializ\$5 or reset\$4))same ((clock near3 forward\$3)near6 (absen\$3 or ("not" near2 present)or miss\$4 or lack\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:39
S35	6	S31 and ((clock near3 forward\$3)near6 (reset\$4 or initializ\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:41
S36	2175	S31 and ((clock\$4)near3 (reset\$4 or initializ\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:46

S37	104	S36 and ((PLL or (phas\$2 near3 loop))near6 (initializ\$5 or reset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:46
S38	646	S36 and ((PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:47
S39	128	S38 and (first near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:47
S40	95	S39 and (second near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:48
S41	3	S40 and ((first near2 (timer or counter))same (lost or absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:48
S42	1674	S27 and ((clock\$4)near3 (reset\$4 or initializ\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:51
S43	2	S30 and ((PLL or (phas\$2 near3 loop))near6 (initializ\$5 or reset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:47
S44	63	S42 and ((PLL or (phas\$2 near3 loop))near6 (initializ\$5 or reset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:47

S45	634	S42 and ((PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:51
S46	142	S45 and (first near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:51
S47	100	S46 and (second near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:52
S48	4	S47 and ((first near2 (timer or counter))same (lost or absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:52
S49	1191	S29 and ((clock\$4)near3 (reset\$4 or initializ\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:51
S50	269	S49 and ((PLL or (phas\$2 near3 loop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:51
S51	33	S50 and (first near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:51
S52	23	S51 and (second near2 (timer or counter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:52

S53	3	S52 and ((first near2 (timer or counter))same (lost or absen\$3 or ("not" near2 present)or miss\$4 or lack\$4 or los\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 15:48
-----	---	---	---	----	----	------------------